

SIM800 Series_IP_Application Note_V1.00





Document Title	SIM800 Series_IP_Application Note
Version	1.00
Date	2013-08-01
Status	Release
Document Control ID	SIM800 Series_IP_ Application Note_V1.00

General Notes

SIMCom offers this information as a service to its customers, to support application and engineering efforts that use the products designed by SIMCom. The information provided is based upon requirements specifically provided to SIMCom by the customers. SIMCom has not undertaken any independent search for additional relevant information, including any information that may be in the customer's possession. Furthermore, system validation of this product designed by SIMCom within a larger electronic system remains the responsibility of the customer or the customer's system integrator. All specifications supplied herein are subject to change.

Copyright

This document contains proprietary technical information which is the property of Shanghai SIMCom Wireless Solutions Ltd, copying of this document and giving it to others and the using or communication of the contents thereof, are forbidden without express authority. Offenders are liable to the payment of damages. All rights reserved in the event of grant of a patent or the registration of a utility model or design. All specification supplied herein are subject to change without notice at any time.

Copyright © Shanghai SIMCom Wireless Solutions Ltd. 2013



Contents

1	_	ptionption	
	1.1 Fe	atures	6
2	AT cor	mmands	7
3	Examp	oles	8
	3.1.	Bearer Configure	8
	3.2.	HTTP GET Method	8
	3.3.	HTTP POST Method	9
	3.4.	HTTP HEAD Method	9
	3.5.	Set Proxy HTTP Server	10
	3.6.	Set HTTP Redirection Parameter	10
	3.7.	Set HTTP Download Break Point Parameter	11
	3.8.	Get HTTP Current Status	11
	3.9.	EED CETAL 1	10
	3.10.	FTP PUT Method	13
	3.11.	FTP Time out	14
	3.12.	FTP Error	14
	3.13.	FTP GET Method FTP PUT Method FTP Time out FTP Error FTP Operation Error	15
	3.14.	FTP READ and WRITE Error	15
	3.15.	Set FTP Download Break Point Parameter	16
	3.16.	FTP DELE Method	16
	3.17.	FTP SIZE Method	17
	3.18.	FTP MKD and RMD Method	17
	3.19.	FTP LIST Session	18
	3.20.	FTP Extend PUT Method	19
A -	nn ar di		21
A]	-		
	A.	Related Documents	
	В.	Terms and Abbreviations	21



Version History

Date	Version	What is new	Author
2013-08-01	1.00	New version	Hanjun.liu

Scope

This document presents the AT command of HTTP&FTP operation and application examples. This document can apply to SIM800 series modules, including SIM800, SIM800W, SIM800V, SIM800L and SIM800H.



1 Description

This chapter introduces the IP application features of SIM800 series modules

1.1 Features

- SIM800 series modules support Hyper Text Transfer Protocol application. Which
 provides a mode to alternate of HTTP server. The basic application contains GET,
 POST, HEAD methods; it also supports proxy server, redirection, broken transfer
 resuming functions.
- 2) SIM800 series modules support File Transfer Protocol application. Which provides a mode to interact with FTP server. The basic application contains GET, PUT methods, it also supports broken transfer resuming function. PUT method supports APPE, STOR and other modes.



2 AT commands

Command	Description
AT+HTTPINIT	INITIALIZE HTTP SERVICE
AT+HTTPTERM	TERMINATE HTTP SERVICE
AT+HTTPPARA	SET HTTP PARAMETERS VALUE
AT+HTTPDATA	INPUT HTTP DATA
AT+HTTPACTION	HTTP METHOD ACTION
AT+HTTPREAD	READ THE HTTP SERVER RESPONSE
AT+HTTPSCONT	SAVE HTTP APPLICATION CONTEXT
AT+HTTPSTATUS	READ HTTP STATUS
AT+FTPPORT	SET FTP CONTROL PORT
AT+FTPMODE	SET ACTIVE OR PASSIVE FTP MODE
AT+FTPTYPE	SET THE TYPE OF DATA TO BE TRANSFERRED
AT+FTPPUTOPT	SET FTP PUT TYPE
AT+FTPCID	SET FTP BEARER PROFILE IDENTIFIER
AT+FTPREST	SET RESUME BROKEN DOWNLOAD
AT+FTPSERV	SET FTP SERVER ADDRESS
AT+FTPUN	SET FTP USER NAME
AT+FTPPW	SET FTP PASSWORD
AT+FTPGETNAME	SET DOWNLOAD FILE NAME
AT+FTPGETPATH	SET DOWNLOAD FILE PATH
AT+FTPPUTNAME	SET UPLOAD FILE NAME
AT+FTPPUTPATH	SET UPLOAD FILE PATH
AT+FTPGET	DOWNLOAD FILE
AT+FTPPUT	SET UPLOAD FILE
AT+FTPSCONT	SAVE FTP APPLICATION CONTEXT
AT+FTPDELE	DELETE SPECIFIED FILE IN FTP SERVER
AT+FTPSIZE	GET THE SIZE OF SPECIFIED FILE IN FTP SERVER
AT+FTPSTATE	GET THE FTP STATE
AT+FTPEXTPUT	EXTEND UPLOAD FILE
AT+FTPMKD	MAKE DIRECTORY ON THE REMOTE MACHINE
AT+FTPRMD	REMOVE DIRECTORY ON THE REMOTE MACHINE
AT+FTPLIST	LIST CONTENTS OF DIRECTORY ON THE REMOTE MACHINE



3 Examples

In the "Grammar" columns of following tables, input of AT commands are in black, module return values are in blue.

3.1. Bearer Configure

Grammar	Description
AT+SAPBR=3,1,"Contype","GPRS"	Configure bearer profile 1
OK	
AT+SAPBR=3,1,"APN","CMNET"	· ·
OK	
AT+SAPBR=1,1	To open a GPRS context.
OK	
AT+SAPBR=2,1	To query the GPRS context.
+SAPBR:1,1,"10.89.193.1"	
OK	
AT+SAPBR=0,1	To close a GPRS context.
OK	
+SAPBR 1: DEACT	GPRS context is released by network

3.2. HTTP GET Method

Download data from HTTP server.

Grammar	Description
AT+HTTPINIT	Init HTTP service
OK	
AT+HTTPPARA = "CID",1	Set parameters for HTTP session
OK	
AT+HTTPPARA="URL","www.sim.com"	
OK	
AT+HTTPACTION=0	GET session start
OK	
+HTTPACTION: 0,200,1000	GET successfully
AT+HTTPREAD	Read the data of HTTP server
+HTTPREAD: 1000	
OK	
AT+HTTPTERM	Terminate HTTP service
OK	



3.3. HTTP POST Method

Upload data to HTTP server.

Grammar	Description
AT+HTTPINIT	Init HTTP service
OK	
AT+HTTPPARA = "CID",1	Set parameters for HTTP session
OK	
AT+HTTPPARA="URL","www.sim.com"	
OK	
AT+HTTPDATA=100,10000	POST the data whose size is 100 Bytes and
DOWNLOAD	the maximum latency time for inputting is
	10000 ms. It is recommended to set the
	latency time long enough to allow
	downloading all the data.
	It is ready to receive data from UART, and
	DCD has been set to low.
OK	All data has been received over, and DCD is
	set to high.
AT+HTTPACTION=1	POST session start
OK	
+HTTPACTION: 1,200,0	POST successfully
AT+HTTPTERM	Terminate HTTP service
OK	

3.4. HTTP HEAD Method

Get HTTP head information from HTTP server.

Grammar	Description
AT+HTTPINIT	Init HTTP service
OK	
AT+HTTPPARA = "CID",1	Set parameters for HTTP session
OK	
AT+HTTPPARA="URL","www.sim.com"	
OK	
AT+HTTPACTION=2	HEAD session start
OK	
+HTTPACTION: 2,200,0	HEAD successfully
AT+HTTPTERM	Terminate HTTP service
OK	



3.5. Set Proxy HTTP Server

It provides the method to use proxy HTTP server.

Grammar	Description
AT+HTTPINIT	Init HTTP service
OK	
AT+HTTPPARA = "CID",1	Set parameters for HTTP session
OK	
AT+HTTPPARA="URL","www.sim.com"	
OK	
AT+HTTPPARA="PROIP","10.0.0.172"	Set proxy server IP address
OK	
AT+HTTPPARA = "PROPORT",80	Set proxy server port
OK	
AT+HTTPACTION=0	GET session start
OK	
+HTTPACTION: 0,200,1000	GET successfully
AT+HTTPREAD	Read the data of HTTP server.
+HTTPREAD: 1000	Output the data to UART
OK	
AT+HTTPTERM	Terminate HTTP service
OK	

3.6. Set HTTP Redirection Parameter

It provides the method to use HTTP redirection function.

Grammar	Description
AT+HTTPINIT	Init HTTP service
OK	
AT+HTTPPARA = "CID",1	Set parameters for HTTP session
OK	
AT+HTTPPARA = "REDIR",1	Set the redirection parameter
OK	
AT+HTTPPARA="URL","www.sim.com/a	Set the URL
bcde"	
OK	
AT+HTTPACTION=0	GET session start
OK	
+HTTPACTION: 0,200,1000	GET successfully



AT+HTTPREAD	Read the response of HTTP server
+HTTPREAD: 1000	Output the data to UART
OK	
AT+HTTPTERM	Terminate HTTP service
OK	

3.7. Set HTTP Download Break Point Parameter

It provides the method to use HTTP broken download resuming function.

Grammar	Description
AT+HTTPINIT	Init HTTP service
OK	
AT+HTTPPARA = "CID",1	Set parameters for HTTP session
OK	
AT+HTTPPARA =	Set the URL, the size of gif is 16384 bytes
"URL","HTTP://www.sim.com/img/sim_lo	
go_jr_1003_38.gif*	
OK	
AT+HTTPPARA = "BREAK",2000	Set the break point
OK	
AT+HTTPACTION=0	GET session start, get data from 2000 to
OK	16384
+HTTPACTION: 0, 200,14384	GET successfully
AT+HTTPREAD	Read the data of HTTP server
+HTTPREAD: 14384	Output the data to UART
OK	
AT+HTTPTERM	Terminate HTTP service
OK	

3.8. Get HTTP Current Status

Grammar	Description
AT+HTTPINIT	Init HTTP service
OK	
AT+HTTPPARA = "CID",1	Set parameters for HTTP session
OK	
AT+HTTPPARA =	Set the URL
"URL","www.baidu.com"	
OK	



AT+HTTPACTION = 0 OK	Get session start
AT+HTTPSTATUS? +HTTPSTATUS: GET,1,1440,7915	The status of getting session is in progress
OK +HTTPACTION: 0, 200,9335	GET successfully
AT+HTTPSTATUS? +HTTPSTATUS: GET,0,0,0	The status of getting session is over
AT+HTTPACTION = 1 OK	POST session start
AT+HTTPSTATUS? +HTTPSTATUS: POST,2,1440,608	The status of posting session is in progress
OK	
+HTTPACTION: 1,200,0	POST successfully
AT+HTTPSTATUS? +HTTPSTATUS: POST,0,0,0	The status of posting session is over
AT+HTTPTERM OK	Terminate HTTP service

3.9. FTP GET Method

Download data from FTP server

Grammar	Description
AT+FTPCID=1	Set parameters for FTP session.
OK	
AT+FTPSERV="116.228.221.52"	
OK	
AT+FTPUN="sim.cs1"	
OK	
AT+FTPPW="*****"	
OK	
AT+FTPGETNAME="1K.txt"	
OK	
AT+FTPGETPATH="/"	
OK	
AT+FTPGET=1	Open the FTP get session.
OK	



+FTPGET: 1,1	Data are available.
AT+FTPGET=2,1024	Request to read 1024 bytes, but
+FTPGET: 2,50	Only 50 bytes are now available.
01234567890123456789012345678901234	
567890123456789	
OK	
AT+FTPGET=2,1024	Request to read 1024 bytes again.
+FTPGET: 2,0	No byte is now available, but it is not the
	end of session.
OK	
+FTPGET: 1,1	If the module receives data but user do not
	input "AT+FTPGET:2, <reqlength>" to</reqlength>
	read data, "+FTPGE T:1,1" will be shown
	again in a certain time.
AT+FTPGET=2,1024	Request to read 1024 bytes.
+FTPGET: 2,1024	1024 bytes are now available.
01234567890123456789012345678901234	
56789012345678901234	
OK	
+FTPGET:1,0	Data transfer finished. The connection to
	the FTP server is closed.

3.10. FTP PUT Method

Upload data to FTP server.

Grammar	Description
AT+FTPCID=1	Set parameters for FTP session.
OK	
AT+FTPSERV="116.228.221.52"	
OK	
AT+FTPUN="sim.cs1"	
OK	
AT+FTPPW="*****"	
OK	
AT+FTPPUTNAME="1K.txt"	
OK	
AT+FTPPUTPATH="/"	
OK	
AT+FTPPUT =1	Open the FTP put session.
OK	
+FTPPUT: 1,1,1360	FTP session is ready for uploading. 1360 is
	the max length of data which can be sent at
	a time. It depends on the network status.



AT+FTPPUT=2,100	Client requests to send 100 bytes.
+FTPPUT: 2,100	Response indicates that user must input 100
	bytes for transferring now.
	It is ready to receive data from UART, and
	DCD has been set to low.
OK	All data has been received over, and DCD is
	set to high.
+FTPPUT: 1,1,1360	URC indicates that the FTP session is ready
	to transfer more data.
AT+FTPPUT=2,0	No more data will be uploaded, the FTP
OK	session will be closed.
+FTPPUT: 1,0	Data transfer is finished. The connection to
	the FTP server is closed.

During FTP session, different failure may occur because of bad network environment or other reasons. Some common failure includes timeout failure and wrong password failure.

3.11. FTP Time out

Time out occurs during FTP session because of different reasons.

Grammar	Description
AT+FTPGET =1	Open the FTP Get session.
OK	
+FTPGET: 1,64	If the status of the network is poor, it may
	be time out.
	The connection to the FTP server is closed.
AT+FTPGET =1	Open the FTP Get session.
OK	
+FTPGET: 1,1	Data are available.
+FTPGET: 1,1	If customer does not use "AT+FTPGET:2,
	<reqlength>" to read data, "+FTPGE T:1,1"</reqlength>
+FTPGET: 1,1	will be shown again in a certain time.
+FTPGET: 1,64	If the user does not read data for a long
	time, the session will time out. The
	connection to the FTP server is closed.

3.12. FTP Error

Error occurs during FTP applications because of wrong parameter setting.



AT+FTPPW="3214567" OK	Set wrong password
AT+FTPGET =1 OK	Open the FTP Get session
+FTPGET: 1,72	FTP session password error. The connection to the FTP server is closed.
N / O/I	C . ((AT ETROETY 1 . (CINGO)

Note: Other errors, you can refer to "AT+FTPGET" command in 《SIM800 Series AT Command Manual》

3.13. FTP Operation Error

Error occurs during FTP applications because of wrong operating.

Grammar	Description
AT+FTPGET =1	Open the FTP Get session.
OK	
+FTPGET: 1,64	The parameter of "get file name" is empty.
	It shows ftp operation error.
AT+FTPPUT =1	Open the FTP PUT session.
OK	
AT+FTPPUT =1	Open the FTP PUT session again. Show ftp
OK	operation error.
+FTPPUT: 1,66	

3.14. FTP READ and WRITE Error

Error occurs before FTP applications because of operating in wrong state.

,	
Grammar	Description
AT+FTPGET =1	Open the FTP Get session.
OK	
AT+FTPGET=2,1000	Read data before "+FTPGET:1,1" is shown.
ERROR	
+FTPGET: 1,1	Data are available
AT+FTPGET =2,1000	Read data after "+FTPGET: 1,1" is shown.
+FTPGET: 2,50	
01234567890123456789012345678901234	
567890123456789	
OK	
+FTPGET: 1,0	Data transfer finished. The connection to
	the FTP server is closed.
AT+FTPGET=2,1000	Read data after FTP session is stopped.
ERROR	



AT+FTPPUT =1 OK	Open the FTP PUT session.
AT+FTPPUT=2,1000 ERROR +FTPPUT: 1,1,1280	Write data before "+FTPPUT: 1,1,1280" is shown. FTP session is ready for uploading.
AT+FTPPUT=2,100 +FTPPUT: 2,100 	Write data after "+FTPPUT: 1,1,1280" is shown.
AT+FTPPUT=2,0 OK	No more data will be uploaded, the FTP session will be closed.
AT+FTPPUT=2,100 ERROR	Write data after FTP session is stopped.

3.15. Set FTP Download Break Point Parameter

It provides the method to use FTP broken download resuming function.

Grammar	Description
AT+FTPGET =1	Open the FTP Get session.
OK	
+FTPGET: 1,1	Data are available.
AT+FTPGET = 2,1024	Get data of FTP server.
+FTPGET: 2,29	
wodeceshijieguo,zhgeshigeshia	
OK	
+FTPGET: 1,0	Data transfer finished. The connection to
	the FTP server is closed.
AT+FTPRESET=20	Set the broken point.
OK	
AT+FTPGET =1	Open the FTP Get session.
OK	
+FTPGET: 1,1	Data are available.
AT+FTPGET = 2,1024	Get the data begin from the broken point.
+FTPGET: 2,9	
shigeshia	
OK	
+FTPGET: 1,0	Data transfer is finished. The connection to
	the FTP server is closed.

3.16. FTP DELE Method

Delete the specified file in FTP server.



Grammar	Description
AT+FTPCID=1	Set parameters for FTP session.
OK	
AT+FTPSERV="116.228.221.52"	
OK	
AT+FTPUN="sim.cs1"	
OK	
AT+FTPPW="*****"	
OK	_
AT+FTPGETNAME="1K.txt"	2
OK	
AT+FTPGETPATH="/"	/
OK	
AT+FTPDELE	Open the FTP DELE session.
OK	
+FTPDELE: 1,0	Delete file finished. The connection to the
	FTP server is closed.

3.17. FTP SIZE Method

Get the size of specified file in FTP server.

1	
Grammar	Description
AT+FTPCID=1	Set parameters for FTP session.
OK	
AT+FTPSERV="116.228.221.52"	
OK	
AT+FTPUN="sim.cs1"	
OK	
AT+FTPPW="*****"	
OK	
AT+FTPGETNAME="1K.txt"	
OK	
AT+FTPGETPATH="/"	
OK	
AT+FTPSIZE	Open the FTP SIZE session.
OK	
+FTPSIZE: 1,0,1024	Get the size of file finished. The connection
	to the FTP server is closed.

3.18. FTP MKD and RMD Method

Make and remove directory on the remote machine.

Grammar	Description



AT+FTPCID=1	Set parameters for FTP session.
OK	
AT+FTPSERV="116.228.221.52"	
OK	
AT+FTPUN="sim.cs1"	
OK	
AT+FTPPW="*****"	
OK	
AT+FTPGETPATH="/test"	L
OK	<u> </u>
AT+FTPMKD	Open the FTP session.
OK	
+FTPMKD: 1,0	The directory "test" is made on the remote
	machine
AT+FTPRMD	Open the FTP session
OK	
+FTPRMD: 1,0	The directory "test" is removed from the
	remote machine

3.19. FTP LIST Session

List contents of remote directory.

Grammar	Description
AT+FTPCID=1	Set parameters for FTP session.
OK	
AT+FTPSERV="116.228.221.52"	
OK	
AT+FTPUN="sim.cs1"	
OK	
AT+FTPPW="*****"	
OK	
AT+FTPGETNAME="1K.txt"	
OK	
AT+FTPGETPATH="/"	
OK	
AT+FTPLIST=1	Open the FTP session.
OK	
+FTPLIST: 1,1	Data are available



AT+FTPLIST=2,1024 +FTPLIST: 2,126	Request to read 1024 bytes, but only 126 bytes are now available
total 0	
drw-rw-rw- 1 user group 0 Oct 12	
14:58.	
drw-rw-rw- 1 user group 0 Oct 12	
14:58	
OK	
+FTPLIST: 1,0	Data transfer finished. The connection to
	the remote machine is closed

3.20. FTP Extend PUT Method

Extend Upload data to the remote machine.

Grammar	Description
AT+FTPCID=1	Set parameters for FTP session.
OK	
AT+FTPSERV="116.228.221.52"	
OK	
AT+FTPUN="sim.cs1"	
OK	
AT+FTPPW="*****"	
OK	
AT+FTPPUTNAME="1K.txt"	
OK	
AT+FTPPUTPATH="/"	
OK	
AT+FTPEXTPUT=1	Open the FTP session.
OK	
AT+FTPEXTPUT=2,0,1024,10000	Client requests to send 1024 bytes.
+FTPEXTPUT: 0,1024	Response indicates that user must input
	1024 bytes for transferring. It is saved in the
	module.
	It is ready to receive data from UART, and
	DCD has been set to low.
OK	All data has been received over, and DCD is
	set to high.
AT+FTPPUT=1	Open the FTP PUT session. Waiting for the
OK	module to upload the data to the remote
	machine.
+FTPPUT: 1,0	Data transfer finished. The connection to
	the remote machine is closed



AT+FTPEXTPUT=0 OK Set FTP to normal put method



Appendix

A. Related Documents

SN	Document name	Remark
[1]	SIM800 Series_AT Command Manual	

B. Terms and Abbreviations

Abbreviation	Description
FTP	File Transfer Protocol
HTTP	Hypertext Transfer Protocol
APN	Access Point Name
GPRS	General Packet Radio Service
PDP	Packet Data Protocol



Contact us:

Shanghai SIMCom Wireless Solutions Co.,Ltd.

Address: Building A, SIM Technology Building, No. 633, Jinzhong Road, Shanghai,

P. R. China 200335 Tel: +86 21 3252 3300 Fax: +86 21 3252 2030 URL: www.sim.com/wm